

Custom Garage Door

- **Considering Decorative Hardware for Visual Appeal**
Considering Decorative Hardware for Visual Appeal Evaluating Window Inserts to Increase Light Exploring Color Matching Options for Unique Exteriors Understanding Methods for Personalizing Door Panels Identifying Materials that Complement Architectural Themes Balancing Function and Form in Customized Designs Approaches to Incorporating Artistic Elements in Door Surfaces Observing Trends in Personalized Garage Door Styles Selecting Subtle Accents to Enhance Appearance Assessing Long Term Impact of Design Modifications Steps for Coordinating Garage Doors with Surrounding Landscaping Recognizing the Value of Expert Guidance in Aesthetic Decisions
- **Identifying Factors that Influence Garage Door Pricing**
Identifying Factors that Influence Garage Door Pricing Considering Seasonal Adjustments to Service Rates Approaches to Evaluating Value in Upgrades Understanding the Effect of Material Costs on Price Recognizing Limitations of Basic Service Packages Options for Structured Payment Plans Practical Methods for Managing Installation Expenses Observing Trends in Market Pricing and Demand Evaluating Trade Offs Between Quality and Cost Checking for Additional Fees in Service Agreements Suggesting Questions to Ask About Pricing Structures Understanding the Role of Payment Methods in Convenience
- **About Us**



Garage doors are an essential component of many homes, serving both functional and aesthetic purposes. They not only secure vehicles and storage items but also contribute significantly to the home's curb appeal. When considering a new garage door, it's crucial to understand the different types available and how they impact pricing. Several factors come into play when determining the cost of a garage door, including materials, design, technology, and installation complexity.

One of the primary factors influencing garage door pricing is the material used in its construction. Annual tune-ups can improve the reliability of your garage door system **garage door repair services** company. Common materials include steel, aluminum, wood, fiberglass, and vinyl. Each material offers distinct advantages and price points. Steel doors are highly durable and often more affordable than other options, making them a popular choice for homeowners seeking long-lasting performance without breaking the bank. Aluminum doors offer similar benefits to steel but tend to be lighter and more resistant to corrosion, albeit at a slightly higher cost.

Wooden garage doors provide unmatched beauty and can significantly enhance a home's visual appeal. However, this aesthetic advantage comes with a higher price tag due to the cost of wood itself and the maintenance required to keep it looking pristine. On the other hand, fiberglass doors mimic wood's appearance while requiring less upkeep and offering better resistance to environmental elements; however, they may still be on the pricier side compared to basic steel options.

The design of a garage door also plays a crucial role in its pricing. Simple panel designs are typically more budget-friendly than custom or carriage-style doors that feature intricate patterns or windows. Customization options such as unique colors or decorative hardware can further increase costs but allow homeowners to tailor their garage doors precisely to their tastes.

Technological features integrated into modern garage doors add another layer of complexity-and expense-to pricing considerations. Smart technology that enables remote operation via smartphone apps or voice commands offers unparalleled convenience but at an additional cost compared to traditional manual or even basic automated systems.

Lastly, installation complexity can affect overall pricing significantly. Standard installations for single-car garages typically involve fewer resources than double-door setups or installations requiring structural modifications due to non-standard sizes or shapes.

In conclusion, numerous factors influence garage door pricing—from materials like steel versus wood through technological enhancements such as smart features down toward installation complexities involving custom designs—all contributing uniquely toward final costs associated with acquiring one's ideal entranceway solution for vehicular storage needs at home environments today! Understanding these variables allows potential buyers insight necessary when navigating decisions around what best suits both lifestyle preferences alongside budgetary constraints effectively moving forward confidently within marketplace offerings available currently surrounding them alike accordingly too indeed altogether now henceforth thereby thusly hereinabove mentioned throughout above-stated discussion points shared hereinbefore aforementioned discussions respectively speaking thereof forthwith succinctly put simply stated herewith delineated hereinwithin contextually contained comprehensively outlined therein regarding subject matter addressed hereinabove conclusively ultimately finally duly considered thoughtfully carefully judiciously introspectively analyzed evaluated assessed weighed measured examined scrutinized methodically systematically thoroughly extensively exhaustively painstakingly meticulously diligently assiduously conscientiously attentively deliberately purposefully intentionally prudently strategically wisely sagaciously shrewdly astutely perceptively insightfully discerningly intelligently knowledgeable skillfully adeptly expertly proficiently capably competently ably efficaciously effectually efficaciousness effectiveness efficacy successfully triumphantly victoriously winning-winning scenario situation case study examination inspection observation review survey analysis evaluation assessment appraisal judgment determination conclusion decision resolution verdict settlement agreement arrangement disposition solution answer response reply rejoinder retort counterargument rebuttal refutation disproof debunking demystification clarification explanation exposition elucidation interpretation translation rendition transcription representation

Types of Decorative Hardware for Garage Doors —

- Discuss the role of decorative hardware in enhancing the visual appeal of garage doors.
- Types of Decorative Hardware for Garage Doors
- Explore different styles and materials, such as handles, hinges, and clavos.
- Choosing the Right Style for Your Home
- Consider architectural styles and how they influence hardware selection.
- Material Considerations for Durability and Aesthetics
- Review popular materials like wrought iron, stainless steel, and aluminum.

When selecting a garage door, one of the most critical considerations is the choice of material. The material you choose not only influences the aesthetic appeal and functionality of your garage door but also has significant cost implications. Understanding these factors is essential for making an informed decision that aligns with both your budget and your needs.

Garage doors are available in various materials, each offering distinct advantages and disadvantages. Common options include steel, wood, aluminum, fiberglass, and vinyl. Steel doors are among the most popular due to their durability and affordability. They provide excellent security and require minimal maintenance compared to other materials. However, if not insulated well, they can be poor at temperature regulation.

Wooden garage doors offer a classic and elegant look that many homeowners find appealing. They can be customized easily to fit specific design preferences but tend to be more expensive upfront than steel doors. Additionally, wood requires regular maintenance to protect against elements like moisture, which can lead to warping or rot over time.

Aluminum doors are lightweight and resistant to rust, making them ideal for humid environments. While generally less expensive than wooden doors, high-quality aluminum models designed for strength can approach or even exceed the cost of steel options.

Fiberglass is another option that mimics the appearance of wood while providing greater resistance to cracking or denting. It is lightweight yet durable but may fade over time when exposed to sunlight consistently.

Vinyl garage doors are known for their durability and low maintenance requirements. They resist dents well and perform admirably in harsh weather conditions without fading or warping. However, they can be limited in terms of style options compared to other materials.

The choice of material affects not just the immediate cost but also long-term expenses related to maintenance and energy efficiency. For instance, investing in an insulated steel or wooden door might have a higher initial cost but could save money on heating bills by better regulating indoor temperatures.

In conclusion, selecting the right material for a garage door involves balancing aesthetic desires with practical considerations such as climate compatibility and budget constraints. Each material offers unique benefits that can influence both upfront costs and ongoing expenses significantly. Therefore, it's crucial for homeowners to evaluate all these aspects carefully before deciding on their ideal garage door solution.

Our Podcast:


garage door opener repair

Social Media About us:

emergency garage door repair

How to reach us:

24 hour garage door repair



Posted by on

Posted by on

Posted by on

Posted by on

Explore different styles and materials, such as handles, hinges, and clavos.

When considering the factors that influence garage door pricing, two primary aspects often come to the forefront: size and customization options. These elements play a crucial role in determining the final cost of a garage door, reflecting both functional requirements and personal preferences.

Firstly, the size of a garage door significantly impacts its price. Garage doors are available in a variety of sizes, ranging from single-car dimensions to those accommodating multiple vehicles or even oversized machinery. Larger doors naturally require more materials for construction, which directly contributes to higher costs. Additionally, larger doors may necessitate more robust mechanisms for operation, such as stronger torsion springs or more powerful motors in automatic openers. These components add to the overall expense, making size one of the most straightforward determinants of price.

Beyond size, customization options offer another layer of influence on garage door pricing. In today's market, consumers have access to an array of customizable features that can transform a standard garage door into one that perfectly suits their aesthetic desires and functional needs. For instance, homeowners might opt for custom finishes or colors to match their house's exterior design. They might also choose windows or decorative hardware to enhance visual appeal or select insulation options for better energy efficiency and noise reduction.

Furthermore, material choice is a pivotal aspect of customization that affects cost. While traditional steel doors are often less expensive due to their durability and low maintenance requirements, wood doors offer an unparalleled natural beauty at a premium price point. Composite materials provide yet another option by combining aesthetic appeal with durability but can vary widely in cost depending on quality and brand.

Advanced technology integration represents another customizable feature influencing price. Incorporating smart technologies like Wi-Fi-enabled openers allows homeowners to control their garage doors remotely via smartphone apps-an attractive convenience that comes at an additional cost.

In conclusion, when identifying factors that affect garage door pricing, size and customization options stand out as key considerations. The interplay between these factors means that while larger doors with numerous custom features can be costly, they also offer tailored solutions that meet specific homeowner needs and preferences. As such, prospective buyers should carefully evaluate their priorities-balancing budget constraints with desired features-to make

an informed decision about their investment in a new garage door.





Choosing the Right Style for Your Home

When considering the various factors that influence garage door pricing, labor and installation costs emerge as significant components. These costs are not just about paying for someone's time to install a door; they encompass a variety of considerations that can significantly impact the final price tag.

First and foremost, the complexity of the garage door system plays a crucial role in determining labor costs. A standard single-panel garage door will generally require less time and expertise to install compared to an advanced multi-panel or automated system. The more complex the mechanism, the higher the need for specialized skills, which inevitably drives up labor costs. Installers with specific expertise in advanced systems may charge premium rates due to their specialized knowledge and experience.

Geographical location also plays a pivotal role in influencing labor and installation expenses. In areas with a higher cost of living, such as urban centers or affluent regions, labor charges tend to be more expensive compared to rural or less economically developed areas. This variance is often reflective of local economic conditions, including wage standards and demand for skilled tradespeople.

Moreover, accessibility to the installation site can affect costs significantly. If a garage is located in a hard-to-reach area or if there are obstacles that make transportation of materials challenging, additional charges may apply. This could include fees for special equipment needed to navigate difficult terrains or extra manpower required to ensure safe handling of materials.

Another factor is whether any preparatory work is needed before installing the new garage door. If old doors need removal or if structural modifications are necessary (such as widening openings or reinforcing walls), these tasks add both time and complexity to the project. Consequently, they increase overall labor costs since they extend beyond simple installation procedures.

Additionally, timing can influence pricing as well. Peak seasons for home renovations might see an increase in demand for skilled installers, potentially leading to higher rates due to competitive pressures on availability. Conversely, scheduling installations during off-peak times might offer opportunities for reduced rates or promotional deals from service providers seeking consistent work year-round.

Finally, warranty offerings linked to installation services can also impact pricing considerations. While opting for cheaper installation services might seem budget-friendly initially, selecting experienced professionals who offer robust warranties ensures long-term value by safeguarding against potential future repairs due to poor workmanship.

In conclusion, when identifying factors that influence garage door pricing, it is essential to consider how labor and installation costs contribute significantly beyond mere purchase prices of materials alone. By understanding these dynamics-complexity of systems involved, geographical variations in wages, site-specific challenges, preparatory requirements before setup begins-as well as seasonal fluctuations impacting availability-it becomes clearer why this element constitutes such an important aspect within broader cost assessments related specifically towards choosing suitable options tailored precisely according individual needs while ensuring quality outcomes over extended periods thereafter without incurring excessive unforeseen expenditures consequently thereafter either unexpectedly arising later down line otherwise unnecessarily so too thusly ultimately thereby accordingly indeed ultimately all told finally then conclusively henceforth thereby assuredly overall comprehensively speaking naturally enough therefore likewise similarly correspondingly comparably equivalently altogether simultaneously concurrently jointly collectively thus thenceforward forward-looking moving ahead onwards into future timescales prospectively projecting ahead envisioning foresightfully imaginatively creatively innovatively productively fruitfully beneficially gainfully advantageously prosperously successfully effectively efficiently proficiently competently capably skillfully expertly adeptly adroitly deftly nimbly agilely swiftly speedily rapidly expeditiously promptly instantaneously immediately instantaneously instantaneously seamlessly effortlessly smoothly fluidly gracefully elegantly stylishly tastefully artfully artistically aesthetically pleasing visually appealing sensorial stimulating engaging immersive

Consider architectural styles and how they influence hardware selection.

When considering the cost of installing or replacing a garage door, one might wonder why there's such a wide range in pricing across different regions. Understanding the regional differences in garage door pricing involves examining various factors that are influenced by geographic location, economic conditions, and local preferences.

First and foremost, the cost of living plays a significant role in determining garage door prices. In regions with higher costs of living, such as major metropolitan areas, prices tend to be higher due to increased labor rates and overhead costs for suppliers and contractors.

Conversely, rural areas or regions with lower living expenses may offer more competitive pricing due to reduced operational costs.

The availability and proximity of materials also impact regional pricing differences. Areas closer to manufacturing hubs or distribution centers may benefit from lower transportation costs, which can translate into cheaper prices for consumers. On the other hand, remote locations may incur additional fees for shipping and handling, driving up the overall cost.

Local climate conditions can also dictate the type of garage doors that are most suitable for a region, thereby affecting pricing. For instance, in coastal areas where humidity and salt air are prevalent, homeowners might opt for corrosion-resistant materials like aluminum or fiberglass, which could be more expensive than standard steel doors commonly used in drier climates.

Moreover, regional aesthetic preferences can lead to variations in demand for certain styles or features. In some places, there might be a trend towards high-end custom designs featuring intricate patterns or windows that match architectural styles popular in the area. Such customizations typically come at a premium compared to basic models.

Regulatory requirements and building codes specific to certain regions can further influence garage door pricing. Some areas may enforce stricter energy efficiency standards or wind-load ratings due to environmental considerations like extreme weather conditions. Compliance with these regulations often necessitates specialized materials or construction techniques that add to overall costs.

Lastly, competition among suppliers and installers within a region can affect price points significantly. In densely populated urban markets with numerous vendors competing for business, consumers might benefit from better deals compared to less competitive markets where fewer options exist.

In conclusion, regional differences in garage door pricing are shaped by an interplay of economic factors, material availability, climate considerations, aesthetic demands, regulatory constraints, and market competition. For consumers looking to purchase or replace their garage doors wisely navigating these variables is essential not only for budgeting purposes but also for ensuring they get the best value tailored to their specific needs and circumstances.



Material Considerations for Durability and Aesthetics

When considering the cost of a garage door, it's essential to look beyond just the basic structure and material. Additional features and accessories can significantly influence the overall pricing, turning a simple necessity into a customized statement piece for your home. These enhancements not only add functionality but also elevate aesthetic appeal and improve security.

One of the most sought-after additional features is insulation. An insulated garage door is particularly beneficial in regions with extreme weather conditions, as it helps maintain a stable temperature within the garage. This feature can be especially important if the garage is attached to the house or used as a workspace. While opting for an insulated door will increase upfront costs, it offers long-term savings on energy bills by reducing heating and cooling expenses.

Windows are another popular addition that influences cost. They enhance natural lighting within the garage, reducing reliance on artificial lights during daytime hours. The style, size, and type of glass used can vary widely, with options ranging from simple clear panes to decorative frosted or tinted glass for added privacy and aesthetic value. Each choice impacts not only aesthetics but also price.

Security features are increasingly becoming decisive factors in garage door pricing. Modern systems offer smart technology integrations such as remote access via smartphone apps, automatic locking mechanisms, and motion-detection cameras. These advanced security measures provide peace of mind but come at a premium compared to traditional lock-and-key systems.

Additionally, homeowners often consider aesthetic upgrades like custom finishes or hardware that match their home's architecture or personal style preferences. Whether it's a sleek modern design or rustic carriage-style doors with intricate wrought iron handles, these visual enhancements carry additional costs based on complexity and materials used.

Finally, maintenance-related accessories such as high-quality rollers or silent-operating mechanisms may incur extra charges initially but contribute to smoother operations and longevity of the door system over time.

In essence, while basic functionality remains at the core of any garage door purchase decision, additional features and accessories play a pivotal role in tailoring this essential component to fit specific needs and tastes—each aspect subtly influencing its final cost yet

potentially adding significant value both practically and aesthetically.

About real estate appraisal



This article may need to be rewritten to comply with Wikipedia's quality standards. You can help. The talk page may contain suggestions. (August 2024)

Real estate appraisal, property valuation or **land valuation** is the process of assessing the value of real property (usually market value). Real estate transactions often require appraisals because every property has unique characteristics. The location also plays a key role in valuation. Appraisal reports form the basis for mortgage loans, settling estates and divorces, taxation, and so on. Sometimes an appraisal report is used to establish a sale price for a property.

Types of value

[edit]

There are several types and definitions of value sought by a real estate appraisal. Some of the most common are:

- **Market value** – the price at which an asset would trade in a competitive Walrasian auction setting. Market value is usually interchangeable with *open market value* or *fair value*. International Valuation Standards (IVS) define:
 - Market value** – the estimated amount for which an asset or liability should exchange on the *valuation date* between a willing buyer and a willing seller in an arm's length transaction, after proper marketing and where the parties had each acted knowledgeably, prudently and without compulsion.^[1]
- **Value-in-use**, or **use value**^[2] – the net present value (NPV)^[3] of a cash flow that an asset generates for a specific owner under a specific use. Value-in-use is the value to one particular user, and may be above or below the market value of a property.
- **Investment value** – the value to one particular investor, and may or may not be higher than the market value of a property. Differences between the *investment value* of an asset and its *market value* motivate buyers or sellers to enter the marketplace. International Valuation Standards (IVS) define:
 - Investment value** – the value of an asset to the owner or a prospective owner for individual investment or operational objectives.^[1]
- Ad valorem tax value – the value used for taxation purposes, determined by the collection of data through the mass appraisal process. The mass appraisal process applies the data collected through various sources to real property to determine taxable value.^[4]
- **Insurable value** – the value of real property covered by an insurance policy. Generally, it does not include the site value.

- **Liquidation value** – may be analyzed as either a **forced liquidation** or an **orderly liquidation** and is a commonly sought standard of value in bankruptcy proceedings. It assumes a seller who is compelled to sell after an exposure period which is less than the market-normal time-frame.

Price vs value

[edit]

There can be differences between what the property is worth (market value) and what it cost to buy it (price). A price paid might not represent that property's market value. Sometimes, special considerations may have been present, such as a special relationship between the buyer and the seller where one party had control or significant influence over the other party. In other cases, the transaction may have been just one of several properties sold or traded between two parties. In such cases, the price paid for any particular piece is not its market "value" (with the idea usually being, though, that all the pieces and prices add up to the market value of all the parts) but rather it's market "price".

At other times, a buyer may willingly pay a premium price, above the generally accepted market value, if his subjective valuation of the property (its *investment value* for him) was higher than the market value. One specific example of this is an owner of a neighboring property who, by combining his property with the subject property (assemblage), could obtain economies-of-scale and added value (plottage value). Similar situations sometimes happen in corporate finance. For example, this can occur when a merger or acquisition happens at a price which is higher than the value represented by the price of the underlying stock. The usual explanation for these types of mergers and acquisitions is that "the sum is greater than its parts", since full ownership of a company provides full control of it. This is something that purchasers will sometimes pay a high price for. This situation can happen in real estate purchases too.

But the most common reason for value differing from price is that either the buyer or the seller is uninformed as to what a property's market value is but nevertheless agrees on a contract at a certain price which is either too expensive or too cheap. This is unfortunate for one of the two parties. It is the obligation of a real property appraiser to estimate the true *market value* of a property and not its *market price*.

Frequently, properties are assessed at a value below their market values; this is known as fractional assessment.^[5] Fractional assessment can result in properties that are assessed at 10% or less of their given market values.^[6]

Market value definitions in the United States

[edit]

In the United States, appraisals are for a certain type of value (e.g., foreclosure value, fair market value, distressed sale value, investment value). The most commonly used definition of value is market value. While Uniform Standards of Professional Appraisal Practice (USPAP) does not define Market Value, it provides general guidance for how Market Value should be defined:

A type of value, stated as an opinion, that presumes the transfer of a property (i.e., a right of ownership or a bundle of such rights), as of a certain date, under specific conditions set forth in the definition of the term identified by the appraiser as applicable in an appraisal.

Thus, the definition of value used in an appraisal or Current Market Analysis (CMA) analysis and report is a set of assumptions about the market in which the subject property may transact. It affects the choice of comparable data for use in the analysis. It can also affect the method used to value the property. For example, tree value can contribute up to 27% of property value.^{[7][8]}

Main approaches to value

[edit]

There are three traditional groups of methodologies for determining value. These are usually referred to as the "three approaches to value" which are generally independent of each other:

- The sales comparison approach (comparing a property's characteristics with those of comparable properties that have recently sold in similar transactions).
- The cost approach (the buyer will not pay more for a property than it would cost to build an equivalent).
- The income approach (similar to the methods used for financial valuation, securities analysis or bond pricing – where the implied property value is a function of the property's pro forma cash flow, or NOI in the context of real estate).

However, the recent trend of the business tends to be toward the use of a scientific methodology of appraisal which relies on the foundation of quantitative-data,^[9] risk, and geographical based approaches.^{[10][11]} Pagourtzi *et al.* have provided a review on the methods used in the industry by comparison between conventional approaches and advanced ones.^[12]

As mentioned before, an appraiser can generally choose from three approaches to determine value. One or two of these approaches will usually be most applicable, with the other approach or approaches usually being less useful. The appraiser has to think about the "scope of work", the type of value, the property itself, and the quality and quantity of data available for each approach. No overarching statement can be made that one approach or another is always better than one of the other approaches.

The appraiser has to think about the way that most buyers usually buy a given type of property. What appraisal method do most buyers use for the type of property being valued? This generally guides the appraiser's thinking on the best valuation method, in conjunction with the available data. For instance, appraisals of properties that are typically purchased by investors (e.g., skyscrapers, office buildings) may give greater weight to the Income Approach. Buyers interested in purchasing single family residential property would rather compare price, in this case, the Sales Comparison Approach (market analysis approach) would be more applicable. The third and final approach to value is the Cost Approach to value. The Cost Approach to value is most useful in determining insurable value, and cost to construct a new structure or building.

For example, single apartment buildings of a given quality tend to sell at a particular price per apartment.^[13] In many of those cases, the sales comparison approach may be more applicable. On the other hand, a multiple-building apartment complex would usually be valued by the income approach, as that would follow how most buyers would value it. As another example, single-family houses are most commonly valued with the greatest weighting to the sales comparison approach. However, if a single-family dwelling is in a neighborhood where all or most of the dwellings are rental units, then some variant of the income approach may be more useful. So the choice of valuation method can change depending upon the circumstances, even if the property being valued does not change much.

The sales comparison approach

[edit]

The sales comparison approach is based primarily on the principle of substitution. This approach assumes a prudent (or rational) individual will pay no more for a property than it would cost to purchase a comparable substitute property. The approach recognizes that a typical buyer will compare asking prices and seek to purchase the property that meets his or her wants and needs for the lowest cost. In developing the sales comparison approach, the appraiser attempts to interpret and measure the actions of parties involved in the marketplace, including buyers, sellers, and investors.

Data collection methods and valuation process

[edit]

Data is collected on recent sales of properties similar to the subject being valued, called "comparables". Only SOLD properties may be used in an appraisal and determination of a property's value, as they represent amounts actually paid or agreed upon for properties. Sources of comparable data include real estate publications, public records, buyers, sellers, real estate brokers and/or agents, appraisers, and so on. Important details of each comparable sale are described in the appraisal report. Since comparable sales are not identical to the subject property, adjustments may be made for date of sale, location, style, amenities, square footage, site size, etc. The main idea is to simulate the price that would have been paid if each comparable sale were identical to the subject property. If the comparable is superior to the subject in a factor or aspect, then a downward adjustment is needed for that factor. ^[clarification needed] Likewise, if the comparable is inferior to the subject in an aspect, then an upward adjustment for that aspect is needed. ^[clarification needed] The adjustment is somewhat subjective and relies on the appraiser's training and experience. From the analysis of the group of adjusted sales prices of the comparable sales, the appraiser selects an indicator of value that is representative of the subject property. It is possible for various appraisers to choose a different indicator of value which ultimately will provide different property value.

Steps in the sales comparison approach

[edit]

1. Research the market to obtain information pertaining to sales, and pending sales that are similar to the subject property
2. Investigate the market data to determine whether they are factually correct and accurate
3. Determine relevant units of comparison (e.g., sales price per square foot), and develop a comparative analysis for each
4. Compare the subject and comparable sales according to the elements of comparison and adjust as appropriate
5. Reconcile the multiple value indications that result from the adjustment (upward or downward) of the comparable sales into a single value indication

The cost approach

[edit]

The **cost approach** was once called the summation approach. The theory is that the value of a property can be estimated by summing the land value and the depreciated value of any improvements. The value of the improvements is often referred to by the abbreviation RCNLD (for "reproduction/replacement cost new less depreciation"). Reproduction refers to reproducing an exact replica; replacement cost refers to the cost of building a house or other improvement which has the same utility, but using modern design, workmanship and materials. In practice, appraisers almost always use replacement cost and then deduct a factor for any functional dis-utility associated with the age of the subject property. An exception to the general rule of using the replacement cost is for some insurance value appraisals. In those cases, reproduction of the exact asset after a destructive event like a fire is the goal.

In most instances when the cost approach is involved, the overall methodology is a hybrid of the cost and sales comparison approaches (representing both the suppliers' costs and the prices that customers are seeking). For example, the replacement cost to construct a building can be determined by adding the labor, material, and other costs. On the other hand, land values and depreciation must be derived from an analysis of comparable sales data.

The cost approach is considered most reliable when used on newer structures, but the method tends to become less reliable for older properties. The cost approach is often the only reliable approach when dealing with special use properties (e.g., public assembly, marinas). However, it is important to consider if there is actually a market for the use and all forms of obsolescence. Some special use properties lack an active market such that the **cost approach** may not be reliable either and may be more indicative of a use value or such. In some cases, it may be appropriate to consider alternative uses.

Obsolescence

[edit]

The **cost approach** requires adjustments for obsolescence, stemming from three sources.

- Physical (depreciation) - Reduction based on the wearing-out of the physical components.
- Functional - Loss in value for some functional or design aspect of the property.
- External - Loss in value for something outside of the property.

Physical depreciation is most familiar. As a structure ages, there is an effect on value. For example, buyers may reduce prices because they expect to make expensive replacements soon. Or in other cases, buyers expect higher utility expenses because they figure the property has older and worn insulation.

Functional obsolescence relates to the design of the property. It could be something that is inadequate about a property (say a house that lacks a swimming pool in a hot climate like Arizona) or something that is superadequate (say a 2-bedroom house that has 9 bathrooms). In either case, there is a deduction to the value compared to the costs of the structures that are there. For example, the 9 bathrooms all cost the same to construct but they add less and less. The appraisal should evaluate whether it is feasible to cure (fix) the item - that is, consider if the increase in value by fixing it exceeds the cost of the fix.

External obsolescence is something outside of the property. It could be changes in market conditions, or an undesirable neighboring property. External obsolescence cannot be fixed.

The income approach

[edit]

Main article: Income approach

The income capitalization Approach (often referred to simply as the "income approach") is used to value commercial and investment properties. Because it is intended to directly reflect or model the expectations and behaviors of typical market participants, this approach is generally considered the most applicable valuation technique for income-producing properties, where sufficient market data exists.

In a commercial income-producing property this approach capitalizes an income stream into a value indication. This can be done using revenue multipliers or capitalization rates applied to a Net Operating Income (NOI). Usually, an NOI has been stabilized so as not to place too much weight on a very recent event. An example of this is an unleased building which, technically, has no NOI. A stabilized NOI would assume that the building is leased at a normal rate, and to usual occupancy levels. The Net Operating Income (NOI) is gross potential income (GPI), less vacancy and collection loss (= Effective Gross Income) less operating expenses (but excluding debt service, income taxes, and/or depreciation charges applied by accountants).

Alternatively, multiple years of net operating income can be valued by a discounted cash flow analysis (DCF) model. The DCF model is widely used to value larger and more expensive income-producing properties, such as large office towers or major shopping centres. This technique applies market-supported yields (or discount rates) to projected future cash flows (such as annual income figures and typically a lump reversion from the eventual sale of the property) to arrive at a present value indication. In Canada, reversion values typically range from 16x-21x the NOI of year of sale.

When homes are purchased for personal use the buyer can validate the asking price by using the income approach in the opposite direction. An expected rate of return can be estimated by comparing net expected costs to the asking price. This return can be compared to the home owner's other investing opportunities.^[14]

UK valuation methods

[edit]

In the United Kingdom, valuation methodology has traditionally been classified into five methods:^[15]

1. Comparative method. Used for most types of property where there is good evidence of previous sales. This is analogous to the sales comparison approach outlined above.

2. Investment method, also known as **hardcore.** Used for most commercial (and residential) property that is producing future cash flows through the letting of the property. This method compares the estimated rental value (ERV), or "top slice" to the current ("passing") income, or "bottom slice", to give an indication of whether the future value of the property should rise or fall based on income. If a property's income is higher than the ERV this is sometimes known as "froth", which may be confused with the US use of "froth" describing the period before a real estate bubble.

The cash flows can be compared to the market-determined equivalent yield, and the property value can be determined by means of a simple model. Note that this method is really a comparison method, since the main variables are determined in the market. In standard U.S. practice, however, the closely related capitalizing of NOI is confounded with the DCF method under the general classification of the income capitalization approach (see above).

3. Residual method. Used for properties ripe for development or redevelopment or for bare land only. The site or unimproved property value is based on the improved or developed value less costs of construction, professional fees, development finance costs and a developer's profit or return on risk. *[clarification needed]*

4. Profit method. Used for trading properties where evidence of rates is slight, such as hotels, restaurants and old-age homes. A three-year average of operating income (derived from the profit and loss or income statement) is capitalized using an appropriate yield. Note that since the variables used are inherent to the property and are not market-derived, therefore unless appropriate adjustments are made, the resulting value will be value-in-use or investment value, not market value.

5. Cost method. Used for land and buildings of special character for which profit figures cannot be obtained or land and buildings for which there is no market because of their public service or heritage characteristics. Both the residual method and the cost method would be grouped in the United States under the cost approach (see above).

Under the current RICS Valuation Standards, the following bases of value are recognized:


- Market value (see PS 3.2);
- Market rent (see PS 3.3);
- Worth (investment value) (see PS 3.4); and
- Fair value (see PS 3.5)

Practice in the UK

[edit]

The common public experience of chartered surveyors is in the process of obtaining a mortgage loan.^[16] A mortgage valuation will be required by any mortgage lender as a condition of obtaining a mortgage loan. The homebuyer may take the option to instruct the same surveyor to carry out a "RICS HomeBuyer Report" or a "RICS Building Survey" (sometimes called a "Structural Survey"^[17]), usually at additional cost.^[16] When the surveyor is instructed in this combined role, the mortgage valuation is still produced for the lender, and the HomeBuyer Report or Building Survey is additionally prepared for the borrower. This arrangement can avoid the potential conflict of interest where the surveyor has as client both the lender and the borrower in the transaction. Because of the ethics and professional liability aspect, borrowers should note that the lender's survey is produced solely for the lender and the surveyor will not be liable for loss or omission to the borrower. Since reform of the RICS Red Book of valuation practice in recent years, the definition of a mortgage valuation has been deleted. It is now a market valuation which is the same definition given to the valuation in the RICS HomeBuyer Report.

The Council of Mortgage Lenders recommends that buyers should not rely only on the mortgage valuation, but obtain a fuller survey for their own purposes.^[citation needed] However, a fuller survey is rarely a condition of the loan.



A structural defect

The borrower may prefer to select an independent surveyor to undertake the HomeBuyer Report or Building Survey.

Mortgage valuation report

A mortgage valuation is for the benefit of the lender. Its purpose is merely to confirm the property is worth the price paid, in order to protect the lender's interests.^[18] Invariably there is a disclaimer on the report that confirms that the surveyor has no responsibility to the borrower. This is a legally valid exclusion.

RICS Home Surveys

Under the reforms undertaken by RICS in the early 21st century to better regulate the provision of professional products to the general public, a sector that is usually unable to fully appreciate the consequences of inadequate specification of the required items to be surveyed and how they are reported, RICS produced a new range of consumer products with RICS branding. Three consumer products are now available - 1. RICS Condition Report 2. RICS HomeBuyer Report 3. RICS Building Survey These products have a consistent appearance over the range, with common typefaces and general format. The distinctions come in the detail that is subsequently provided. These are discussed below.

RICS Condition Report

This is short report that looks briefly at the property to report on the visual condition of nine external elements of construction, nine internal elements of construction, seven services supplied to the building, and three key components of the grounds in which the property is sited. The reports rates conditions from 1 - good, 2, - needing attention in the near future, 3 - needing attention now using a traffic light system to draw attention to things that matter.

In practice this report is of little value to the buyer unless the surveyor attends at the same time as the buyer is carrying out a viewing and wants an early indication of general condition, making the most of the surveyor's expert knowledge about how buildings can


fail that are not obvious to the average buyer. Some surveyors agree to carry out these surveys as a precursor to then extending the service with a more detailed report in either of the other two types in the RICS Home Surveys suite.^[19] Usually, the fee for the first report is discounted in the fee for the detailed follow up report, since when the surveyor returns to the property, there is already an understanding of what problems are in the property.

RICS HomeBuyer Report

This document format has been revised in 2010 to include an easy to assimilate format for the reader. The problem with the earlier format often reported to RICS by clients in receipt of the previous 'Homebuyer's Survey and Valuation' was that the structure did not easily distinguish the faults from the main description. A **traffic light** system was introduced and surveyors have to rate each element of the inspection according to priority. In this way, serious impediments are identified easily, and less critical defects commented upon to give the reader advice on what will need attention in the near future. It does not comment on the maintenance requirements for items found to be in satisfactory condition, only confirming that there is no cause for concern at this time. This format is suitable for a wide range of properties, but is best suited to traditionally built houses that are not subject to very serious distress or previous major alterations or extensions. This report is much longer than the condition report and looks in more detail at the property to report on the visual condition and maintenance needs of nine external elements of construction, nine internal elements of construction, seven services supplied to the building, and three key components of the grounds in which the property is sited. The reports rates conditions from 1 - good, 2 - needing attention in the near future, 3 - needing attention now using a traffic light system to draw attention to things that matter. The report also includes commentary to advise the solicitor on issues that need addressing in the conveyance, and any risks that affect the building, grounds and people of a more general nature. There is also a market valuation of the property and an assessment of rebuilding costs for insurance purposes.

Not all chartered surveyors are permitted to undertake providing the RICS HomeBuyer Report as it contains a market valuation. Under rules of the Royal Institution of Chartered Surveyors, any surveyor undertaking these surveys must also be an RICS Registered Valuer and carry professional indemnity insurance for this task. This is an attempt by RICS to provide consumer confidence after the older valuation reports came into disrepute.

RICS Building Survey



A thatched cottage

There are a number of variations to a residential building survey which offers the home purchaser a choice of products. The two main variants are the RICS Guidance note version stemming from the earlier RICS guidance note 2004 (more recently updated by the "Surveys of residential property RICS guidance note 3rd edition" which was introduced in December 2013). The primary difference between guidance note and the practice note for the consumer is the format of the reports. A bespoke style or a framework (traffic light signal) style. For surveyors guidance is "best practice" and practice note is "mandatory".

The guidance note version can be provided in an agreed word document style format with an appendix for photographs etc. There is also a choice (at extra commissioning cost) to add a market valuation and other services such as costing for repairs and project management / further investigation services by agreement as cited at the end of this description. In effect, is a fully bespoke report.

The alternative is the practice note version (introduced to the market in November 2012). It is a similar traffic light signal format as the other RICS survey products such as the RICS condition report and the RICS homebuyer reports.

Both report formats (guidance note and practice note versions) are appropriate for virtually all properties, including but not limited to listed buildings, thatched cottages, timber frame homes and so on,.

The building survey is the most detailed survey available [²⁰] from most firms of Chartered Surveyors. [¹⁸] Thorough though it is, it may still lead to recommendations for further investigation from other specialists; see below. However, A competent surveyor will always try to investigate causes of damp and building defects before recommending for further investigation. The building survey report is much longer than the condition report but may not be much longer than the homebuyer report as its content depends on the condition observed in each individual case. The practice note version building survey looks in more detail at the property to report on the visual condition and maintenance needs of nine external elements of construction, with scope for sub-division into individual features, with the nine internal elements of construction and the seven services supplied to the building examined in a similar manner. Also the three key components of the grounds in which the property is sited can be subdivided as necessary.

The practice note version of the report also rates conditions from 1 - good, 2 - needing attention in the near future, 3 - needing attention now using a traffic light system to draw attention to things that matter. In this format, if there is a defect, not only will it be identified but its causes analyzed and methods of repair and elimination of the cause discussed in some detail. The report also includes commentary to advise the solicitor on issues that need addressing in the conveyance, and any risks that affect the building, grounds and people of a more general nature. There is also discussion on the means of escape in case of fire, which in older houses in particular can be compromised by poor design and alterations. There is no market valuation or an assessment of rebuilding costs for insurance purposes in the document. These can be added, along with cost estimates for the repairs by a separate agreement as discussed in the helpful RICS explanatory notes to clients.

Collectively, a key feature of RICS building surveys are that they provide an opportunity for clients and surveyors to strike up a detailed dialogue about the property they are intending to purchase. Purchasers find a building survey useful in allowing for further negotiations on price or for providing a clients briefing document for extensions or repairs. The building survey is a very interactive process.

Energy performance certificate

Chartered surveyors can also provide an energy performance certificate.

Limits

Chartered Surveyors are not necessarily specialists in other fields, and may recommend further investigations by an electrician, a gas engineer, a structural engineer or expert of another kind, depending on what they find during their inspection. They may also recommend work by the buyer's solicitor to confirm matters which might affect their valuation, such as (with leasehold properties), the unexpired term of the lease, who is responsible for the boundaries, and so forth.

The Chartered Surveyor's inspection is typically non-intrusive. They do not have the authority to lift floorboards, drill holes, or perform excavations at a property which the prospective buyer does not, at this stage, own, which means that certain defects or problems may not be apparent from their inspection.^[21]

Their fees are a component of the cost of moving house in the United Kingdom.

Appraisers

[edit]

Besides the mandatory educational grade, which can vary from Finance to Construction Technology, most, but not all, countries require appraisers to have the license for the

practice. Usually, the real estate appraiser has the opportunity to reach 3 levels of certification: Appraisal Trainee, Licensed Appraiser and Certified Appraiser. The second and third levels of license require no less than 2000 experience hours in 12 months and 2500 experience hours in no less than 24 months respectively.^{[22][23]} Appraisers are often known as "property valuers" or "land valuers"; in British English they are "valuation surveyors". If the appraiser's opinion is based on market value, then it must also be based on the highest and best use of the real property. In the United States, mortgage valuations of improved residential properties are generally reported on a standardized form like the Uniform Residential Appraisal Report.^[24] Appraisals of more commercial properties (e.g., income-producing, raw land) are often reported in narrative format and completed by a Certified General Appraiser.

Further considerations

[edit]

Scope of work

[edit]

While the Uniform Standards of Professional Appraisal Practice (USPAP) has always required appraisers to identify the scope of work needed to produce credible results, it became clear in recent years^[when?] that appraisers did not fully understand the process for developing this adequately. In formulating the scope of work for a credible appraisal, the concept of a *limited* versus *complete* appraisal and the use of the Departure Rule caused confusion to clients, appraisers, and appraisal reviewers. To deal with this, USPAP was updated in 2006 with what came to be known as the Scope of Work Project. Following this, USPAP eliminated both the Departure Rule and the concept of a limited appraisal, and a new Scope of Work rule was created. In this, appraisers were to identify six key parts of the appraisal problem at the beginning of each assignment:

- Client and other intended users
- Intended use of the appraisal and appraisal report
- Definition of value (e.g., market, foreclosure, investment)
- Any hypothetical conditions or extraordinary assumptions
- Effective date of the appraisal analysis
- Salient features of the subject property

Based on these factors, the appraiser must identify the scope of work needed, including the methodologies to be used, the extent of the investigation, and the applicable approaches to value. Currently, minimum standards for scope of work are:

- Expectations of the client and other users
- The actions of the appraiser's peers who carry out similar assignments

The scope of work is the first step in any appraisal process. Without a strictly defined scope of work, an appraisal's conclusions may not be viable. By defining the scope of work, an appraiser can properly develop a value for a given property for the intended user, and for the intended use of the appraisal. The whole idea of "scope of work" is to provide clear expectations and guidelines for all parties as to what the appraisal report does, and does not, cover; and how much work has gone into it.

Types of ownership interest

[edit]

The type of real estate "interest" that is being valued, must also be known and stated in the report. Usually, for most sales, or mortgage financings, the fee simple interest is being valued. The fee simple interest is the most complete bundle of rights available. However, in many situations, and in many societies which do not follow English Common Law or the Napoleonic Code, some other interest may be more common. While there are many different possible interests in real estate, the three most common are:

- **Fee simple value** (known in the UK as **freehold**) – The most complete ownership in real estate, subject in common law countries to the powers reserved to the state (taxation, escheat, eminent domain, and police power)
- **Leased fee value** – This is simply the fee simple interest encumbered by a lease. If the lease is at market rent, then the leased fee value and the fee simple value are equal. However, if the tenant pays more or less than market, the residual owned by the leased fee holder, plus the market value of the tenancy, may be more or less than the fee simple value.
- **Leasehold value** – The interest held by a tenant. If the tenant pays market rent, then the leasehold has no market value. However, if the tenant pays less than the market, the difference between the present value of what is paid and the present value of market rents would be a positive leasehold value. For example, a major chain retailer may be able to negotiate a below-market lease to serve as the anchor tenant for a shopping center. This leasehold value may be transferable to another anchor tenant, and if so the retail tenant has a positive interest in the real estate.

Valuer and Valuation:

A "valuer" is an individual or professional who is trained and qualified to determine the value of assets, typically real estate or personal property, for various purposes. Valuers assess the worth or fair market value of these assets based on their knowledge,

expertise, and analysis of relevant data.

"Valuation" refers to the process of determining the value or worth of an asset, property, business, or financial instrument. Valuation can be performed for a wide range of reasons, including businesses, assets, etc.

Home inspection

[edit]

If a home inspection is performed prior to the appraisal and that report is provided to the appraiser, a more useful appraisal can result. This is because the appraiser, who is not an expert home inspector, will be told if there are substantial construction defects or major repairs required. This information can cause the appraiser to arrive at a different, probably lower, opinion of value. This information may be particularly helpful if one or both of the parties requesting the appraisal may end up in possession of the property. This is sometimes the case with property in a divorce settlement or a legal judgment.^[25]

Mass appraisal and automated valuation models

[edit]

Automated valuation models (AVMs) are growing in acceptance. These rely on statistical models such as multiple regression analysis, or machine learning algorithms.^[26] While AVMs can be quite accurate, particularly when used in a very homogeneous area, there is also evidence that AVMs are not accurate in other instances such as when they are used in rural areas, or when the appraised property does not conform well to the neighborhood.

Computer-assisted mass appraisal (CAMA) is a generic term for any software package used by government agencies to help establish real estate appraisals for property tax calculations. A CAMA is a system of appraising property, usually only certain types of real property, that incorporates computer-supported statistical analyses such as multiple regression analysis and adaptive estimation procedure to assist the appraiser in estimating value.^[27]

Geographic-assisted mass appraisal (GAMA) is a generic term for any geographic information system-centric software package used by government agencies to help establish real estate appraisals for property tax calculations.^[28]

Spatial-CAMA (SCAMA) is a general term for mass appraisal where spatial data is used with spatial dependence or spatial heterogeneity models. Spatial Lag Model (SLM) and

Spatial Autoregressive Moving Average (SARMA) fall under spatial dependence while Geographically Weighted Regression Models (GWR) falls under spatial heterogeneity.^[29]

Governing authorities and professional organizations

[edit]



This section **needs additional citations for verification**. Please help improve this article by adding citations to reliable sources in this section. Unsourced material may be challenged and removed. *(October 2019)* *(Learn how and when to remove this message)*

International

[edit]

The various U.S. appraisal groups and international professional appraisal organizations have started collaborating in recent years towards the development of International Valuation Standards. This will facilitate global real estate appraisal standards, a much-needed adjunct to real estate investment portfolios which cross national boundaries. Some appraisal groups are already international organizations and thus, to some extent, already incorporate some level of global standards.

The International Valuation Standards Council (IVSC) is a non-governmental organization (NGO) member of the United Nations with membership that encompasses all the major national valuation standard-setters and professional associations from 150 different countries (including the Appraisal Institute, the American Society of Appraisers, the RICS, the [Practising Valuers Association of India] and the Appraisal Institute of Canada). IVSC publishes the *International Valuation Standards* (IVS), now in its 12th edition.

Germany

[edit]

In Germany, real estate appraisal is known as real estate valuation (*Immobilienbewertung*). Real estate appraisers (*Immobilienbewerter* or *Gutachter*) can qualify to become a *Öffentlich bestellter und vereidigter Sachverständiger* (officially appointed and sworn expert). However, this formerly very important title has lost a lot of its importance over the past years, but still is of some value in court procedures. The title is not generally required for appraisals.

Governing authorities

[edit]

Real estate appraisal in Germany is partly codified by law. The federal Baugesetzbuch (abbr. BauGB, "German statutory code on building and construction") contains guidelines on governing authorities, defines the term market value and refers to continuative rules (chapter 3, articles 192 ff.). Each municipality (city or administrative district) must form a *Gutachterausschuss* (appraisal committee), consisting of a chairman and honorary members.^[30] The committee gathers information on all real estate deals (it is mandatory to send a copy of each notarial purchase contract to the *Gutachterausschuss*) and includes it in the *Kaufpreissammlung* (purchase price database). Most committees publish an official real estate market report every two years, in which besides other information on comparables the land value is determined. The committees also perform appraisals on behalf of public authorities.

Federal regulations

[edit]

The BauGB defines the *Verkehrswert* or *Marktwert* (market value, both terms with identical meaning) as follows: "The market value is determined by the price that can be realized at the date of valuation, in an arm's length transaction, with due regard to the legal situation and the effective characteristics, the nature and lay of the premises or any other subject of the valuation"^[31] (non-official translation). The intention, as in other countries, is to include all objective influences and to exclude all influences resulting from the subjective circumstances of the involved parties.

This federal law is supported by the *Wertermittlungsverordnung* (abbr. WertV, "regulation on the determination of value").^[32] The WertV defines the codified valuation approaches and the general valuation technique. German codified valuation approaches (other approaches such as DCF or residual approach are also permitted, but not codified) are the:

- *Vergleichswertverfahren* (sales comparison approach) – used where good evidence of previous sales is available and for owner-occupied assets, especially condominiums and single-family houses;
- *Ertragswertverfahren* (German income approach) – standard procedure for property that produces future cash flows from the letting of the property;
- *Sachwertverfahren* (German cost approach) – used for specialised property where none of the above approaches applies, e. g. public buildings.

WertV's general regulations are further supported by the *Wertermittlungsrichtlinie* (abbr. WertR, "directive on the determination of value").^[33] The WertR provides templates for calculations, tables (e.g., economic depreciation) and guidelines for the consideration of different influences. WertV and WertR are not binding for appraisals for nonofficial use, nonetheless, they should be regarded as best practice or Generally Accepted (German) Valuation Practice (GAVP).

Comments on German GAVP

[edit]

In most regards Generally Accepted (German) Valuation Principles is consistent with international practice. The investment market weighs the income approach most heavily. However, there are some important differences:

- Land and improvements are treated separately. German GAVP assumes that the land can be used indefinitely, but the buildings have a limited lifespan; This coincides with the balancing of the assets. The value of the land is determined by the sales comparison approach in both the income and cost approaches, using the data accumulated by the *Gutachterausschuss* which is then added to the building value.
- In order to account for the usage of the land, the net operating income is reduced by the *Liegenschaftszins* (interest paid to the land-owner by the owner of the building, i.e., ground rent). The *Liegenschaftszins* is the product of the land value and the *Liegenschaftszinssatz* (interest rate for land use). The *Liegenschaftszinssatz* is the equivalent of the yield—with some important differences—and is also determined by the *Gutachterausschuss*.
- Unlike the All Risks Yield (ARY) in UK practice, the *Liegenschaftszinssatz* (abbr. LZ) does not include an allowance for default (not to be confused with a structural vacancy), therefore this needs to be subtracted from gross operating income. As a result, the *Liegenschaftszinssatz* will usually be lower than the All Risks Yield.
- Based on the assumption that the economic life of the improvements is limited, the yield and remaining economic life determine the building value from the net operating income.
- Contracts in Germany generally prescribe that the landlord bears a higher portion of maintenance and operating costs than their counterparts in the United States and the UK.

Criticism

[edit]

Mathematically the distinction between land and improvements in the income approach will have no impact on the overall value when the remaining economic life is more than thirty years. For this reason, it has become quite common to use the *Vereinfachtes Ertragswertverfahren* (simplified income approach), omitting the land value and the *Liegenschaftszins*. However, the separate treatment of land and buildings leads to more precise results for older buildings, especially for commercial buildings, which typically have a shorter economic life than residential buildings.

An advantage of the comparatively high degree of standardization practiced by professional appraisers is the greater ability to check an appraisal for inconsistency, accuracy and transparency.

Professional organizations

[edit]

The Federal German Organisation of Appointed and Sworn Experts (*Bundesverband Deutscher Sachverständiger und Fachgutachter*, abbr. BDSF)^[34] is the main professional organization encompassing the majority of licensed appraisers in Germany. In recent years, with the move towards a more global outlook in the valuation profession, the RICS has gained a foothold in Germany, somewhat at the expense of the BDSF. Another German Organisation of Appointed and Sworn Experts is the *Deutsche Sachverständigen Gesellschaft*, abbr. DESAG.^[35] This organization also includes a large number of licensed appraisers in Germany.

With special focus on hypothetical value, in 1996, German banks with real estate financing activities formed the *HypZert GmbH*, an association for the certification of real estate valuers.^[36] A *HypZert* qualification is regarded as mandatory by many German banks.

Israel

[edit]

In Israel, the real estate appraisal profession is regulated by the Council of Land Valuers, an organ of the Ministry of Justice; the largest professional organization, encompassing the majority of appraisers/land valuers is the Association of Land Valuers. Valuers must be registered with the Council, which is a statutory body set up by law, and which oversees the training and administers the national professional exams that are a prerequisite for attaining registration. In 2005 the Council set up a Valuation Standards Committee with the purpose of developing and promulgating standards that would reflect

best practice; these have tended to follow a rules-based approach.

Historically, most valuations in Israel were statutory valuations (such as valuations performed for purposes of Betterment Tax, a tax administered on any gains accruing to the property by way of changes to the local planning) as well as valuations performed for purposes of bank lending. Since Israel implemented the International Financial Reporting Standards (IFRS) in 2008, the profession has been engaged in performing valuations for purposes of financial reporting.

United Kingdom

[edit]

Further information: Chartered surveyors in the United Kingdom

In the UK, real estate appraisal is known as *property valuation* and a real estate appraiser is a *land valuer* or *property valuer* (usually a qualified chartered surveyor who specializes in property valuation).^[15] Property valuation in the UK is regulated by the Royal Institution of Chartered Surveyors (RICS), a professional body encompassing all of the building and property-related professions. The RICS professional guidelines for valuers are published in what is commonly known as the *Red Book*. The 2017 version was the *RICS Valuation – Global Standards* (1 July 2017),^[37] superseding an edition published in 2011. RICS Valuation Standards contains mandatory rules, best practice guidance and related commentary. The 2017 version adopts and applies the International Valuation Standards (IVS) published by the International Valuation Standards Council (IVSC). Changes to the standards are approved by the RICS Valuation Professional Group Board, and the *Red Book* is updated accordingly on a regular basis. While based in the UK, RICS is a global organization and has become very active in the United States in recent years through its affiliation with the Counselors of Real Estate, a division of the National Association of Realtors.

United States

[edit]

Appraisal practice in the United States is regulated by state. The Appraisal Foundation (TAF) is the primary standards body; its Appraisal Standards Board (ASB) promulgates and updates best practices as codified in the Uniform Standards of Professional Appraisal Practice (USPAP), while its Appraisal Qualifications Board (AQB) promulgates minimum standards for appraiser certification and licensing.

The federal government regulates appraisers indirectly because if the Appraisal Subcommittee (ASC) of the Federal Financial Institutions Examination Council (FFIEC) finds that a particular state's appraiser regulation and certification program is inadequate, then under federal regulations all appraisers in that state would no longer be eligible to conduct appraisals for federally chartered banks.^[38] The ASC oversees the TAF. Banks make widespread use of mortgage loans and mortgage-backed securities, and would be unable to do so without appraisals.

The Financial Institutions Reform, Recovery, and Enforcement Act of 1989 (FIRREA) demanded all the states to develop systems for licensing and certifying real estate appraisers.^[39] To accomplish this, the Appraisal Subcommittee (ASC) was formed within the FFIEC, with representatives from the various Federal mortgage regulatory agencies.^[40] Thus, currently all the real estate appraisers must be state-licensed and certified. But prior to the 1990s, there were no commonly accepted standards either for appraisal quality or for appraiser licensure. In the 1980s, an ad-hoc committee representing various appraisal professional organizations in the United States and Canada met to codify the best practices into what became known as the USPAP. The U.S. Savings and Loan Crisis resulted in increased federal regulation via FIRREA, which required federal lending regulators to adopt appraisal standards. A nonprofit organization, The Appraisal Foundation (TAF), was formed by the same organizations that had developed USPAP, and the copyright for USPAP was signed over to TAF. Federal oversight of TAF is provided by the Appraisal Subcommittee, made up of representatives of various federal lending regulators. TAF carries out its work through two boards: the Appraisal Standards Board promulgates and updates USPAP; the Appraisal Qualifications Board (AQB) promulgates minimum recommended standards for appraiser certification and licensure. During the 1990s, all of the states adopted USPAP as the governing standards within their states and developed licensure standards which met or exceeded the recommendations of TAF. Also, the various state and federal courts have adopted USPAP for real estate litigation and all of the federally lending regulators adopt USPAP for mortgage finance appraisal.^[40]

Professional organizations

[edit]

In addition, there are professional appraisal organizations, organized as private non-profit organizations that date to the Great Depression of the 1930s. One of the oldest in the United States is the American Society of Farm Managers and Rural Appraisers (ASFMRA), which was founded in 1929.^[41] Others were founded as needed and the opportunity arose in specialized fields, such as the Appraisal Institute (AI) and the American Society of Appraisers (ASA) founded in the 1930s, the International Right of Way Association and the National Association of Realtors which were founded after World War II. These organizations all existed to establish and enforce standards, but their

influence waned with increasing government regulation. In March 2007, three of these organizations (ASFMRA, ASA, and AI) announced an agreement in principle to merge. NAIFA (National Association of Independent Fee Appraisers), a charter member of The Appraisal Foundation, helped to write Title XI, the Real Estate Appraisal Reform Amendments. It was founded in 1961.

One of the most recognized professional organizations of real estate appraisers in America is the Appraisal Institute (AI). It was formed from the merger of the American Institute of Real Estate Appraisers and the Society of Real Estate Appraisers. Founded along with others in the 1930s, the two organizations merged in the 1990s to form the AI. This group awards four professional designations: *SRA*, to residential appraisers, *AI-RRS*, to residential review appraisers, *MAI*, to commercial appraisers, and *AI-GRS*, to commercial review appraisers. The Institute has enacted rigorous regulations regarding the use and display of these designations. For example, contrary to popular belief, "MAI" does *not* stand for "Member, Appraisal Institute". According to the institute, the letters "do not represent specific words", and an MAI may not use the words "Member, Appraisal Institute" *in lieu* of the MAI mark. The primary motive for this rule is to prevent trademark dilution. These designations require attendance in appraisal technique classes, ethical training, exams, and a review of the candidate's work by designated appraisers.

The National Association of Appraisers (NAA) was formed with a purpose of uniting those engaged in the appraisal profession for the purpose of exerting a beneficial influence upon the profession and to advocate appraiser interests. The NAA has established an advisory group consisting of leadership at the state organizations and coalitions called the Board of Governors where those states can help guide the NAA in acting in the best interest of all appraisers. The NAA also has a designated membership, MNAA (Member of the National Association of Appraisers, who is an individual who holds an appraisal license, certification or similar appraisal credential issued by a governmental agency; and who accepts the membership requirements and objectives of the National Association of Appraisers.

Other leading appraisal organizations include the National Association of Independent Fee Appraisers and the National Association of Master Appraisers, which were also founding sponsor-members of the Appraisal Foundation.^[42] The Massachusetts Board of Real Estate Appraisers (MBREA), founded in 1934, is the only state appraisal association that has been named a sponsor of the Appraisal Foundation.^[43] In recent years, the Royal Institution of Chartered Surveyors (RICS) has become highly regarded in the United States, and has formed a collaboration with the Counselors of Real Estate, a division of the National Association of Realtors. RICS, which is headquartered in London, operates on a global scale and awards the designations *MRICS* and *FRICS* to Members and Fellows of RICS. The Real Estate Counseling Group of America is a small group of top U.S. appraisers and real estate analysts who have collectively authored a disproportionately large body of appraisal methodology and, the National Association of Real Estate Appraisers (NAREA), founded in 1966, with the goal to elevate the

professionalism and success of the Appraisal Industry.

The leading appraisal organization for personal property valuation is the American Society of Appraisers which is a sponsor member of the Appraisal Foundation and awards the ASA (Accredited Senior Appraiser) designation to candidates who complete five years of documented appraisal experience, pass a comprehensive exam along with required commercial and/or residential appraisal coursework, and submit two appraisal reports for review.

Racial bias

[edit]

Implicit bias and racial composition of neighborhoods have long been thought to impact on home appraisal values.^[44] Recent studies from Freddie Mac and other industry leaders have confirmed that traditional modelling based on comparable sales and a variety of other factors (income, credit score, etc.) cannot explain the appraisal value gap minorities face.^[45] Some would argue that these pricing disparities are partially explained by neighborhood quality, which opponents say is a byproduct of historical redlining.^[46]

Russia

[edit]

In Russia, on par with many other former Soviet Union economies, the profession emerged in the first half of 1990, and represented a clean break with the former practice of industry-specific pricing specialists and with activities of statutory price-setting authorities in the Soviet Union. Currently, property valuation, as it is called, is a specialism within general-purpose "valuation profession", which functions in a self-regulatory mode overseen by "self-regulated professional organizations" of valuers (SROs), i.e. public supervisory entities established under provisions of special legislation (which very loosely can be likened to trade unions). The principal among those is Russian Society of Appraisers, established in 1993 and presently exercising oversight over about half of the valuation profession membership. Among its 6000+ members a sizeable majority are real property valuers, rubbing shoulders with business and intangible assets appraisers. The latter categories of valuers are also allowed to value property, though valuation professionals tend to specialize. In late 2016, it was mandated that valuers should pass through compulsory state-administered attestation process to verify their competence, the details of which as to breakdown in specialization or otherwise remain to be hammered out.

As of mid-2016, Valuers in Russia, including real property valuers, are deemed to be purposely-educated individuals maintaining their Valuation SRO membership and bearing unlimited property liability for the result of their services, that is their professional status is modeled on the organization of public notaries. Regardless of the fact, over 80% of valuers tend to be employed by valuation or consulting companies, and thus do not enter practice as stand-alone individual entrepreneurs. High-end appraisal services are principally represented by valuation arms of the International "Big-four" consultancies in the country, but there also exist reputable national corporate valuation brands.

The majority of property valuations in the country are typically conducted to meet legal requirements outlined in the Federal Valuation Law, with the most recent amendment taking place in 2016. Additionally, other related laws, such as the Joint Stock Companies Law, outline over 20 instances where valuations are mandated. These mandatory cases include valuations for purposes such as privatization, securing loans, handling bankruptcy and liquidation proceedings, among others.

Before the year 2000, valuations for corporate financial reporting held greater significance. However, this changed when the national accounting regulator discontinued its promotion of the accounting fair value option. Currently, the government is in the process of outsourcing the mass appraisal of properties for taxation purposes to professional valuation institutions.

Adjudication of valuer-certified estimates of value in case of the onset of disputes is conducted through the Experts Councils of valuers' SROs. Official courts tend to concur with the resolutions of such Councils. In some rare instances the imprimatur of SRO's Experts Councils is also required for a valuation done by a particular valuer to enter into effect.

The technical details of practice of real estate valuers in Russia are aligned with the international pattern. Members of the Russian Society of Appraisers formerly were bound by the observance of the International Valuation Standards. There also exists a set of 14 general-purpose government-developed "Federal Valuation Standards" (FSOs 1,2,3 --are the general valuation standards first adopted in 2007 (and revised 2015) and covering Terms of engagement and Valuation report content requirements, FSOs 7–11 are asset-specific standards adopted in 2015, while FSO 9 is currently the only purpose-specific standard in the set dealing with valuations of property for loan security purposes; the last two FSO standards adopted in 2016 cover determination of investment and liquidation values, however, they do not touch on the methodology for determining these values, only scraping the reporting requirements). In view of the international conformity drive in the latest round of FSO standards setting, general requirements in the new FSO standards are close to those in the International Valuation standards set, however they can be more specific on occasion and mandate compulsory disclosure of uncertainty in valuation reports using the interval/range format.

With effect from 1 August 2017, new amendments to the Federal Valuation Law came to impose the compulsory certification of valuers by a state-affiliated testing centre. Consequently, this two-hour written exam certification measure, aimed to counter a perception of wide-spread malpractice among the members of the national valuation profession, provides for three valuer-specializations: real estate valuers, plant and machinery valuers, and business and intangible asset valuers, with the exam content requirements varying substantially for each specialization. Valuers would lose a right to practice, unless they comply with the requirement to take this compulsory certification exam at or before 31 March 2018. A general assessment of this measure is that the numbers of certified valuers in Russia are set to dwindle down to some 2000–3000 valuers nationwide (across all the specialisms mentioned), i.e. decimating some 80% of the current Valuer SRO's membership, due to the complexity of the certification exams.

Hong Kong

[edit]

The Hong Kong Institute of Surveyors (HKIS) regulates property surveyors in Hong Kong. Established in 1984, Institute is the only professional organisation representing the surveying profession in Hong Kong. The HKIS was statutorily incorporated by virtue of the Hong Kong Institute of Surveyors Ordinance in January 1990 (Cap. 1148). In July 1991, the Surveyors Registration Ordinance (Cap. 417) was passed to set up a Registration Board to administer the registration of surveyors. In May 2006, the number of members had reached 6,723. A general practice surveyor advises on the best use of the land, assesses the feasibility and viability of the proposed development project as well as the valuation, marketing, sale, leasing and management of completed developments. It also has a website to provide real-time properties' value estimate across whole Hong Kong.^[47]

Australia

[edit]

The Australian Property Institute (API) was formed in 1926 as the Commonwealth Institute of Valuers. The Institute has undergone several name changes over the last century as the array of services offered by its members expanded. It serves to regulate the profession of property valuers throughout Australia.

Today the API represents the interests of more than 8,600 property professionals throughout Australia. API members include residential, commercial and plant and machinery valuers, property advisers, property analysts, property fund and asset managers, property facility managers, property lawyers and property researchers and academics. The Institute's primary role is to set and maintain the highest standards of professional practice, education, ethics and professional conduct for its members and the broader property profession.^[48]

New Zealand

[edit]

Real estate valuation in New Zealand is regulated by the New Zealand Institute of Valuers ('NZIV') and the Valuers Registration Board of New Zealand ('VRB'), both of which are statutory bodies established under the Valuers Act 1948 (NZ). The NZIV remains the statutory professional body for valuers in New Zealand, with perpetual succession under the Act. The NZIV can make Rules as lower level legislation and has a Code of Ethics (reviewed in 2023). The NZIV Rules were last changed in 2012 and remain current. The VRB has jurisdiction in relation to serious matters affecting the registration of a valuer including discipline where a valuer has acted in such a way as to meet the threshold. The Valuers Act 1948 sets the threshold under s31 as matters where a valuer could be struck off the register of valuers. The NZIV has power for discipline for relatively more minor matters. The NZIV governs NZIV members and has power to discipline members and fine them up to \$500, admonish members or terminate their membership. The designations "Registered Valuer" and "Public Valuer" are legally protected under the legislation, being reserved for Valuers Registered under the Act. The NZIV, under the Act, can admit non-valuer members (such as non-valuer land economists).

There are also voluntary professional bodies for real estate valuation such as the Royal Institute of Chartered Surveyors (RICS) and the Property Institute of New Zealand (PINZ). Both of these bodies have a wider membership, beyond real estate valuers. PINZ has around 1,700 members in New Zealand and overseas (such as ex-pats in the UK, Asia and Australia). PINZ has a service level agreement with the NZIV, whereby PINZ contracts to perform tasks for the statutory professional body, NZIV. PINZ was formed in 2000 to act as the voice of the property professions. There have been 'political divisions' within the valuation profession in New Zealand, expressed at AGMs and through 'proxy wars' over the last 20 years or so. Many valuers are supportive of amalgamation of the NZIV functions under the multi-disciplinary voluntary body PINZ, whilst many others wish to retain a separate statutory professional body for valuers (the NZIV). There are various reasons in the debate and the governing legislation is under review and amendments or

repeal is being considered. At present, the Act remains in force and the NZIV is legally a distinct body with statutory functions, powers and duties.

PINZ incorporated much of the membership of the NZIV, the Institute of Plant & Machinery Valuers (IPMV) and the Property & Land Economy Institute of New Zealand (PLEINZ). PINZ now represents the interests of valuers, property and facilities managers, property advisors and plant and machinery valuers. PINZ has developed into one of the largest professional bodies for standards, qualifications and ethics across all facets of the property profession within New Zealand. It works with government, industry and other professional associations, education stakeholders and the media to promote its standards and views.^[49]

In New Zealand, the terms "valuation" and "valuer" usually relates to one who undertakes that professional role in terms of the Valuer Act 1948 requirements or the unregulated or voluntarily self-regulated (if members of PINZ) plant and machinery, marine or art valuers. Whereas, the term "appraisal" is usually related to an estimate by a real estate sales person or licensed agent under the Real Estate Agents Act 2008. The Real Estate Institute of New Zealand includes many valuer members, but the governing legislation for sales and agency (disposal of interests of land on behalf of others) does not extend to include provision for that role by valuers regardless of membership of NZIV, RICS or PINZ.

There exists a significant difference in the responsibilities of a real estate agent and a valuer. While a real estate agent is allowed to represent the interests of their client, a valuer is required to offer an unbiased and independent assessment of value. The legal framework governing these roles is distinct as well. Lawyers, Conveyancers, and Real Estate Agents operate under legislation separate from that which regulates valuers. Specifically, the legal provision outlining the responsibilities of Lawyers and Conveyancers is the Lawyers and Conveyancers Act of 2006..

The number of Registered Valuers in New Zealand has generally between 1,000 - 1,300. This is an ageing 'top heavy' professional with difficulty retaining new and young members due to pay, work stress and the recent advent of 'clearing houses' for banks to order valuations for mortgage purposes. The clearing houses have largely ended the long-standing local practice of members of the public seeking advice directly from a valuer. The use of electronic estimates based on Rating Values (Local Government mass appraisal for levies) is also leading to a reduction in standard valuation work and is significantly affecting the viability of small valuation businesses. The profession is in the process of a wider corporate re-structuring of the valuation market due to these factors with various perceptions within profession as to the merits of the events of the last five years.

See also

[edit]

- American Measurement Standard
- Auditing Standards Board
- Building inspection
- Climate appraisal
- Conveyancing
- German income approach
- Home inspection
- Housing affordability index
- International Property Measurement Standards
- Investment rating for real estate
- Kriging
- Land value tax
- List of real estate topics
- Peak land value intersection
- Royal Institution of Chartered Surveyors
- Verification and validation
- Real estate
- Real estate business
- Real estate bubble

References

[edit]

1. ^ **a b** International Valuation Standards 2011
2. ^ Joseph F. Schram Jr. (January 2006). *Real Estate Appraisal*. Rockwell Publishing. pp. 36–. ISBN 978-1-887051-25-5. Archived from the original on 3 January 2014. Retrieved 7 January 2012.
3. ^ Finn Helles; Niels Strange; Lars Wichmann, eds. (2003). *Recent accomplishments in applied forest economics research*. Springer. pp. 20–. ISBN 978-1-4020-1127-6. Archived from the original on 3 January 2014. Retrieved 7 January 2012.
4. ^ "Standard on Mass Appraisal Real Property" (PDF). *iaao.org/media/standards/MARP_2013.pdf*. April 2013. Archived from the original (PDF) on 15 April 2019. Retrieved 30 September 2018.
5. ^ Ansell, Ben W. (2019). "The Politics of Housing". *Annual Review of Political Science*. **22**: 165–185. doi:10.1146/annurev-polisci-050317-071146.
6. ^ Hultquist, Andy; Petras, Tricia L. (2012). "Determinants of Fractional Assessment Practice in Local Property Taxation: An Empirical Examination" (PDF). *Proceedings. Annual Conference on Taxation and Minutes of the Annual Meeting of the National Tax Association*. **105**: 146–152.
7. ^ "Protecting Existing Trees on Building Sites" p.4 published by the City of Raleigh, North Carolina, March 1989, Reprinted February 2000
8. ^ "How Valuable Are Your Trees" Archived 11 August 2011 at the Wayback Machine by Gary Moll, April 1985, American Forests Magazine.

9. ^ Lins, Marcos Pereira Estellita; Novaes, Luiz Fernando de Lyra; Legey, Luiz Fernando Loureiro; et al. (2005). "Real Estate Appraisal: A Double Perspective Data Envelopment Analysis Approach". *Annals of Operations Research*. **138** (1): 79–96. doi:10.1007/s10479-005-2446-1. S2CID 2263094.
10. ^ Adair, Alastair; Norman Hutchison (2005). "The reporting of risk in real estate appraisal property risk scoring". *Journal of Property Investment & Finance*. **23** (3): 254–268. doi:10.1108/14635780510599467.
11. ^ Chica-Olmo, Jorge. "Prediction of Housing Location Price by a Multivariate Spatial Method: Cokriging". Archived from the original on 22 October 2007. Retrieved 15 September 2008.
12. ^ Pagourtzi, Elli; Assimakopoulos, Vassilis; Hatzichristos, Thomas; French, Nick; et al. (2003). "Real estate appraisal: a review of valuation methods". *Journal of Property Investment & Finance*. **21** (4): 383–401. doi:10.1108/14635780310483656. S2CID 154722531.
13. ^ "Apartment - Everything You Need to Know About Sell" (in Polish). Retrieved 19 January 2021.
14. ^ "Retail Investor .org : How To Value Real Estate, And Calculate Its Expected Returns – Investor Education". *retailinvestor.org*. Archived from the original on 4 June 2017. Retrieved 1 June 2017.
15. ^ **a b** Maliene, V., Deveikis, S., Kirsten, L. and Malys, N. (2010). "Commercial Leisure Property Valuation: A Comparison of the Case Studies in UK and Lithuania". *International Journal of Strategic Property Management*. **14** (1): 35–48. doi:10.3846/ijspm.2010.04.cite journal: CS1 maint: multiple names: authors list (link)
16. ^ **a b** Royal Institution of Chartered Surveyors Archived November 17, 2007, at the Wayback Machine
17. ^ Shire Direct.com Archived 2008-07-24 at the Wayback Machine's mortgage glossary
18. ^ **a b** "Council of Mortgage Lenders". Archived from the original on 11 February 2015. Retrieved 4 April 2021.
19. ^ "Home". *adrianjsingleton.co.uk*.
20. ^ RICS [1](webpage)
21. ^ Northern Rock Archived February 28, 2009, at the Wayback Machine
22. ^ "How to Become a Certified Residential Appraiser". *kapre.com*. Archived from the original on 18 May 2017. Retrieved 1 June 2017.
23. ^ "How to Become a Licensed Appraiser". *kapre.com*. Archived from the original on 18 May 2017. Retrieved 1 June 2017.
24. ^ "Uniform Residential Appraisal Report (Form 1004): PDF" (PDF). Archived (PDF) from the original on 21 March 2012. Retrieved 1 June 2017.
25. ^ Jennifer Saranow Schultz (27 October 2010). "Home Inspections During Divorces". *The New York Times*. Archived from the original on 31 October 2010. Retrieved 30 October 2010.
26. ^ "Valuation" Archived 8 December 2005 at the Wayback Machine, RICS Organization
27. ^ https://www.iaao.org/media/Pubs/IAAO_GLOSSARY.pdf[permanent dead link] [bare URL]

28. ^ "Assessment Analyst Adoption Accelerates". *GISuser*. 14 January 2016. Retrieved 6 July 2023.
29. ^ Cusack, Margie M. (2018). *GIS for Property Tax and Assessment Professionals*. Kansas City, MO. ISBN 978-0883292433.cite book: CS1 maint: location missing publisher (link)
30. ^ "§ 192 BauGB – Einzelnorm". *bundesrecht.juris.de*. Archived from the original on 20 September 2007. Retrieved 1 June 2017.
31. ^ "§ 194 BauGB – Einzelnorm". *bundesrecht.juris.de*. Archived from the original on 21 September 2007. Retrieved 1 June 2017.
32. ^ "German text of the WertV". Archived from the original on 26 August 2007. Retrieved 1 June 2017.
33. ^ "German text of the WertR". Archived from the original on 9 August 2007. Retrieved 1 June 2017.
34. ^ "Bundesverband Deutscher Sachverständiger und Fachgutachter". *bdsf.de*. Archived from the original on 9 June 2017. Retrieved 1 June 2017.
35. ^ DESAG. "Sachverständigenverband – Deutsche Sachverständige – DESAG". *deutsche-sachverstaendigen-gesellschaft.de*. Retrieved 1 June 2017.
36. ^ German page of HypZert GmbH
37. ^ "Red Book 2017". *rics.org*. Retrieved 17 October 2018.
38. ^ *The Department of the Treasury Blueprint for a Modernized Financial Regulatory Structure (PDF)*. United States Department of the Treasury. 2008. pp. 79–80. ISBN 978-016080645-2. Archived (PDF) from the original on 27 October 2011.
39. ^ Penny Singer, "Reappraising the Appraisal Industry", *New York Times*, Aug 19, 1990 Archived 7 June 2008 at the Wayback Machine Retrieved 14 February 2008
40. ^ **a b** "Home". *appraisalfoundation.org*. Archived from the original on 9 June 2017. Retrieved 1 June 2017.
41. ^ "Land Expert Source – ASFMRA". *ASFMRA.org Land Expert Source – ASFMRA.org Land Expert Source*. Archived from the original on 6 June 2017. Retrieved 1 June 2017.
42. ^ 2006 "USPAP Online" Archived 5 December 2006 at the Wayback Machine, Appraisal Foundation
43. ^ "MBREA". *mbrea.org*. Archived from the original on 3 June 2017. Retrieved 1 June 2017.
44. ^ LaCour-Little, Michael; Green, Richard K. (1 May 1998). "Are Minorities or Minority Neighborhoods More Likely to Get Low Appraisals?". *The Journal of Real Estate Finance and Economics*. **16** (3): 301–315. doi:10.1023/A:1007727716513. ISSN 1573-045X. S2CID 152452718.
45. ^ "Racial and Ethnic Valuation Gaps In Home Purchase Appraisals". *www.freddiemac.com*. Retrieved 30 September 2021.
46. ^ Perry, Andre M.; Rothwell, Jonathan; Harshbarger, David (27 November 2018). "The devaluation of assets in Black neighborhoods". *Brookings*. Retrieved 30 September 2021.
47. ^
"ÄfÆ'Ä†â€™Äfâ€ Äçâ, -â,,çÄfÆ'Äçâ, -Å;Äfâ€ šÄ,Â©ÄfÆ'Ä†â€™ÄfÄçÄçâ€ šÄ-Ä...Ä;Ä

[Archived from the original on 3 June 2017. Retrieved 1 June 2017.](#)
[^ "API". *api.org.au*. Archived from the original on 3 June 2017. Retrieved 1 June 2017.](#)
[^ "Who We Are : Property Institute of New Zealand". *property.org.nz*. Archived from the original on 10 July 2017. Retrieved 1 June 2017.](#)

Further reading

[edit]

- Barris, J. (2008) *An expert system for appraisal by the method of comparison*. PhD Thesis, UPC, Barcelona
- Barris, J., & Garcia-Almirall, P. (2011) *A density Function of the Appraisal Value*. European Real Estate Society 2011 – Eindhoven, The Netherlands, Best Paper on Real Estate Valuation
- Baum, A., Nunnigton, N., & Mackmin, D. (2011) *The Income Approach to Property Valuation* (6th Edition). Estates Gazette, London
- Brown, G., & Matysiak, G. (1999) *Real Estate Investment: A Capital Market Approach*. Financial Times, London
- Isaac, D., & O'Leary, J. (2012) *Property Valuation Principles* (2nd Edition), Palgrave MacMillan, London
- Kane, S., Linne, M. and Johnson, J. (2004) *Practical Applications in Appraisal Valuation Modeling*. Appraisal Institute, Chicago
- Hayward, R. (ed.) (2008) *Valuation: Principles into Practice* (6th edition). Estates Gazette, London
- Maliene, V. (2011). "Specialised property valuation: Multiple criteria decision analysis". *Journal of Retail & Leisure Property*. **9** (5): 443–50. doi: 10.1057/rlp.2011.7.
- Maliene, V., Deveikis, S., Kirsten, L. and Malys, N. (2010). "Commercial Leisure Property Valuation: A Comparison of the Case Studies in UK and Lithuania". *International Journal of Strategic Property Management*. **14** (1): 35–48. doi: 10.3846/ijspm.2010.04.cite journal: CS1 maint: multiple names: authors list (link)
- Simons, Robert (2007) *When Bad Things Happen to Good Property* Environmental Law Institute, Washington, DC
- Tachovsky, Michael, *Environmental Dead Zones: The Evaluation of Contaminated Properties* The Appraisal Journal (2021)
- The Appraisal Foundation, *Uniform Standards of Professional Appraisal Practice*. Updated and published annually through the 2006 edition; henceforth, updated editions are to appear biannually.
- The Appraisal Institute, *The Appraisal of Real Estate* (15th Edition).

- The Appraisal Services in Middle East and North Africa, *www.landsterling.com*. RICS certified Valuation services.
- Italian Property Valuation Standard – Codice delle Valutazioni Immobiliari, Third edition – English version (2006)
- Duca, John V., John Muellbauer, and Anthony Murphy. 2021. "What Drives House Price Cycles? International Experience and Policy Issues." *Journal of Economic Literature*, 59 (3): 773-864.

- v
- t
- e

Real estate

- Property
- Tertiary sector of the economy
 - Bangladesh
 - Canada
 - China
 - Indonesia
 - Italy
 - Turkey
 - Kenya
 - Pakistan
 - Panama
 - Puerto Rico
 - Russia
 - Saudi Arabia
 - United Arab Emirates
 - United Kingdom

By location

- Commercial property
 - Commercial building
 - Corporate Real Estate
 - Extraterrestrial real estate
 - International real estate
 - Lease administration
 - Niche real estate
 - Garden real estate
 - Healthcare real estate
 - Vacation property
 - Arable land
 - Golf property
 - Luxury real estate
 - Off-plan property
 - Private equity real estate
 - Real estate owned
 - Residential property
 - Property management
 - Real estate development
 - Real estate investing
 - Real estate flipping
 - Relocation
 - Adverse possession
 - Chain of title
 - Closing
 - Concurrent estate
 - Conditional sale
 - Conveyancing
 - Deed
 - Eminent domain
 - Encumbrance
 - Foreclosure
 - Land law
 - Land registration
 - Leasehold estate
 - Lease
 - Property abstract
 - Real estate transaction
 - Real estate contract
 - Real property
 - Rent regulation
 - Severance
 - Torrens title
 - Zoning
- Types**
- Sectors**
- Law and regulation**

**Economics, financing
and valuation**

- Asset-based lending
- Capitalization rate
- Effective gross income
- Gross rent multiplier
- Hard money loan
- Highest and best use
- Home equity loan
- Investment rating for real estate
- Mortgage insurance
- Mortgage loan
- Real estate derivative
- Real estate economics
- Real estate bubble
- Real estate valuation
- Remortgage
- Rental value
- Appraiser
- Buyer agent
- Buyer broker
- Chartered Surveyor
- Exclusive buyer agent
- Land banking
- Landlord
- Moving company
- Property manager
- Real estate broker
- Real estate investment club
- Real estate investment trust
- Real property administrator
- Tenant

Parties

Other


- o Companies
- o Eviction
- o Filtering
- o Gentrification
- o Graduate real estate education
- o Green belt
- o Indices
- o Industry trade groups
- o Investment firms
- o Land banking
- o People
- o Property cycle
- o Real estate trends
- o Undergraduate real estate programs
- o Urban decay
- o Urban planning
- o List of housing markets by real estate prices

- o  **Category** Image not found or type unknown
- o  **Commons** Image not found or type unknown
- o  **List of topics** Image not found or type unknown

Authority control databases: National  Czech Republic  Israel  [Edit this at Wikidata](#)

About jackshaft

For the locomotive component, see Jackshaft (locomotive).



A two-pulley jackshaft redirecting belt power from horizontal to vertical.

A **jackshaft**, also called a *countershaft*, is a common mechanical design component used to transfer or synchronize rotational force in a machine. A jackshaft is often just a short stub with supporting bearings on the ends and two pulleys, gears, or cranks attached to it. In general, a jackshaft is any shaft that is used as an intermediary transmitting power from a driving shaft to a driven shaft.

History

[edit]

Jackshaft

[edit]


The oldest uses of the term *jackshaft* appear to involve shafts that were intermediate between water wheels or stationary steam engines and the line shafts of 19th century mills.^{[1][2]} In these early sources from New England mills in 1872 and 1880, the term "*jack shaft*" always appears in quotes. Another 1872 author wrote: "Gear wheels are used in England to transmit the power of the engine to what is usually called the jack shaft."^[3] By 1892, the quotes were gone, but the use remained the same.^[4]

The pulleys on the jackshafts of mills or power plants were frequently connected to the shaft with clutches. For example, in the 1890s, the generating room of the Virginia Hotel in Chicago had two Corliss engines and five dynamos, linked through a jackshaft. Clutches on the jackshaft pulleys allowed any or all of the dynamos to be driven by either or both of the engines.^[5] With the advent of chain-drive vehicles, the term *jackshaft* was generally applied to the final intermediate shaft in the drive train, either a chain driven shaft driving pinions that directly engaged teeth on the inside of the rims of the drive wheels,^{[6][7]} or the output shaft of the transmission/differential that is linked by chain to the drive wheels.^[8]

One of the first uses of the term *jackshaft* in the context of railroad equipment was in an 1890 patent application by Samuel Mower. In his electric-motor driven railroad truck, the motor was geared to a jackshaft mounted between the side frames. A sliding dog clutch inside the jackshaft was used to select one of several gear ratios on the chain drive to the driven axle.^[9] Later railroad jackshafts were generally connected to the driving wheels using side rods (see jackshaft (locomotive) for details).

Countershaft

[edit]



A PTO shaft or jackshaft with a protective shield to prevent entanglement.

The term *countershaft* is somewhat older. In 1828, the term was used to refer to an intermediate horizontal shaft in a gristmill driven through gearing by the waterwheel and driving the millstones through bevel gears.^[10] An 1841 textbook used the term to refer to a short shaft driven by a belt from the line shaft and driving the spindle of a lathe through additional belts. The countershaft and the lathe spindle each carried cones of different-diameter pulleys for speed control.^[11] In 1872, this definition was given: "The term countershaft is applied to all shafts driven from the main line [shaft] when placed at or near the machines to be driven ..."^[3]

Modern uses

Modern jackshafts and countershafts are often hidden inside large machinery as components of the larger overall device.

In farm equipment, a spinning output shaft at the rear of the vehicle is commonly referred to as the *power take-off* or PTO, and the power-transfer shaft connected to it is commonly called a *PTO shaft*, but is also a jackshaft.

See also

[edit]

- Drive shaft
- Layshaft

References

[edit]

- [^] James Emerson, Report of Water-Wheel Tests at Lowell and Other Places, Journal of the Franklin Institute, Vol. LXIII, No. 3 (March, 1872); pages 177-178.
- [^] Holyoke Warter Power Co., Experiments with Gears, Belts and Draft Tubes, Holyoke Hydrodynamic Experiments, Weaver Shipman and Co., Springfield, Mass., 1880; pages 73-76.
- [^] **a b** Coleman Sellers, Transmission of Motion, Journal of the Franklin Institute, Vol. LXIV, No. 5 (Nov. 1872); pages 305-319, *countershaft* is defined on page 314, *jack shaft* on page 316.
- [^] Robert Grimshaw, Drive for Power Transmission, Cassier's Magazine Vol. II, No. 9 (July 1892); pages 219-224, see particularly figure 1 and the discussion of it on

pages 223-224.

5. ^ John J. Flather, Rope-Driving: A treatise on the transmission of power by means of fibrous ropes, Wiley, New York, 1895; pages 42-43. Fig. 21 shows part of the jack-shaft.
6. ^ The Darling Steam Carriage, The Horseless Age, Vol. 5, No. 2 (Oct. 11, 1899); page 6.
7. ^ Some New American Steam Carriages, The Motor Car Journal, Vol I, No. 36 (Nov. 10, 1899); page 565.
8. ^ The Grout Steam Tonneau, Cycle and Automobile Trade Journal Vol II, No. 8 (Feb 1, 1902) ;pages 55-56.
9. ^ Samuel E. Mower, Electric-Motor Mechanism, U.S. patent 450,970, issued Apr. 21, 1891.
10. ^ James Hindman and William Hindman, Improvement in the Grist Mill, The American Journal of Improvements in the Useful Arts and Mirror of the Patent Office in the United States, Vol I, No. 3 (July, Aug. and Sept. 1828); page 324. This reads like a patent application, there is no record of a corresponding patent.
11. ^ Robert Willis, Part the Third, Chapter II -- To Alter the Velocity Ratio by Determinate Changes, Principles of Mechanism Designed for the Use of Students in the Universities and for Engineering Students Generally, John W. Parker, London, 1841; page 433.

About Overhead Door Company of Joliet

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Things To Do in Will County

Photo

Joliet Iron Works Park

4.6 (148)

Photo

Image not found or type unknown

Lake Renwick Heron Rookery Nature Preserve

4.6 (87)

Photo

Image not found or type unknown

Old Joliet Prison

4.6 (1759)

Photo

Des Plaines River viewing point

5 (1)

Photo

Image not found or type unknown

Gaylord Building Historic Site

4.8 (209)

Photo

Image not found or type unknown

Will County Historical Museum and Research Center

4.6 (23)

Photo

Pilcher Park Nature Center

4.7 (727)

Driving Directions in Will County

Driving Directions From Honorable Robert Brumund to Overhead Door Company of Joliet

Driving Directions From MainStay Suites Joliet I-80 to Overhead Door Company of Joliet

Driving Directions From Golden Corral Buffet & Grill to Overhead Door Company of Joliet

Driving Directions From First American Bank to Overhead Door Company of Joliet

Driving Directions From Honorable Edward A Burmila Jr to Overhead Door Company of Joliet

Driving Directions From Honorable Robert P Livas to Overhead Door Company of Joliet

Driving Directions From Rockdale to Overhead Door Company of Joliet

https://www.google.com/maps/dir/AI%27s+Steak+House+Restaurant/Overhead+Door+88.1306966,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJmbH_IJ5hDogR7vD5dbfS88.1306966!2d41.5218385!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e0

<https://www.google.com/maps/dir/Golden+Corral+Buffet+%26+Grill/Overhead+Door+88.131781,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJxxURXp5hDogRpCrLzROk>

88.131781!2d41.5218954!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e2

<https://www.google.com/maps/dir/First+American+Bank/Overhead+Door+Company+of+Joliet/88.1263608,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJnV0USXRhDogRS4CL2G>
88.1263608!2d41.5223227!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e1

<https://www.google.com/maps/dir/Honorable+Bennett+Braun/Overhead+Door+Company+of+Joliet/88.0822783,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ4ykaz7dmDogRD02ZYA4>
88.0822783!2d41.5244092!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e3

<https://www.google.com/maps/dir/Will+County+Sheriff+Department/Overhead+Door+Company+of+Joliet/88.0822795,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ4ykaz7dmDogReYP6uoE>
88.0822795!2d41.5244193!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e0

<https://www.google.com/maps/dir/Honorable+Thomas+A+Dunn/Overhead+Door+Company+of+Joliet/88.0822783,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ4ykaz7dmDogRdBGfYGm>
88.0822783!2d41.5244092!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e2

Driving Directions From Joliet Iron Works Historic Site to Overhead Door Company of Joliet

Driving Directions From Gemini Giant to Overhead Door Company of Joliet

Driving Directions From Joliet Area Historical Museum to Overhead Door Company of Joliet

Driving Directions From Old Joliet Prison to Overhead Door Company of Joliet

Driving Directions From Illinois State Museum-Lockport Gallery to Overhead Door Company of Joliet

Driving Directions From Old Joliet Prison to Overhead Door Company of Joliet

Driving Directions From Illinois State Museum-Lockport Gallery to Overhead Door Company of Joliet

https://www.google.com/maps/dir/Old+Joliet+Prison/Overhead+Door+Company+of+Joliet,+Illinois/88.0728208,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-88.0728208!2d41.5457399!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e0

https://www.google.com/maps/dir/Old+Joliet+Prison/Overhead+Door+Company+of+Joliet,+Illinois/88.0728208,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-88.0728208!2d41.5457399!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e2

https://www.google.com/maps/dir/Knoch+Knolls+Nature+Center/Overhead+Door+Company+of+Joliet,+Illinois/88.1412172,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-88.1412172!2d41.7141117!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e1

https://www.google.com/maps/dir/Joliet+Area+Historical+Museum/Overhead+Door+Company+of+Joliet,+Illinois/88.0826722,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-88.0826722!2d41.5282926!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e3

Reviews for Overhead Door Company of Joliet

Overhead Door Company of Joliet

Image not found or type unknown

Owen McCarthy

(5)

I called the office just by chance to see if there was an available opening for a service call to repair a busted spring. Unfortunately I didn't catch the name of the person who answered, but she couldn't have been more pleasant and polite. She was able to get a tech to my house in an hour. I believe the tech's name was Mike and he too was amazing. He quickly resolved my issue and even corrected a couple of things that he saw that weren't quite right. I would recommend to anyone and will definitely call on Middleton for any future needs. Thank you all for your great service.

Overhead Door Company of Joliet

Image not found or type unknown

Hector Melero

(5)

Had a really great experience with Middleton Overhead Doors. My door started to bow and after several attempts on me fixing it I just couldn't get it. I didn't want to pay on something I knew I could fix. Well, I gave up and they came out and made it look easy. I know what they are doing not to mention they called me before hand to confirm my appointment and they showed up at there scheduled appointment. I highly recommend Middleton Overhead Doors on any work that needs to be done

Overhead Door Company of Joliet

Image not found or type unknown

Kelley Jansa

(5)

We used Middleton Door to upgrade our garage door. We had three different companies come out to quote the job and across the board Middleton was better. They were professional, had plenty of different options and priced appropriately. The door we ordered came with a small dent and they handled getting a new panel ordered and reinstalled very quickly.

Overhead Door Company of Joliet

Image not found or type unknown

Jim Chuporak

(5)

Received a notice the morning of telling me when to expect the men to come and put the door in. he was on time, answered all my questions, worked diligently in the cold. And did an absolutely awesome job. Everything was cleaned up, hauled away from the old door. I am extremely happy with the service I received from the first phone call I made through having the door put in. My wife and I are very, very happy with the door.

Overhead Door Company of Joliet

Image not found or type unknown

Andrea Nitsche

(4)

Scheduling was easy, job was done quickly. Little disappointed that they gave me a quote over email (which they confirmed was for labor and materials), but when they finished it was just over \$30 more. Not a huge deal, but when I asked why, I was told they gave me an approx cost and it depends on what is needed. I get that in general, however, they installed the door and I gave them my address and pics of the existing prior to getting a quote. I feel like they could have been more upfront with pricing. And just a heads up, it was pricey... Had them change the weather stripping, from ringing my doorbell to pulling out my driveway when done was literally 20 mins, cost was just over \$260 ?

Identifying Factors that Influence Garage Door Pricing [View GBP](#)

Frequently Asked Questions

What materials are commonly used for garage doors and how do they impact pricing?

Garage doors are typically made from steel, aluminum, wood, fiberglass, or vinyl. Steel is durable and cost-effective but prone to rust without proper maintenance. Aluminum is lightweight and resistant to corrosion but can be more expensive. Wood offers a classic look but requires regular maintenance and can be pricey. Fiberglass is durable and low-maintenance but may not provide as much insulation. Vinyl is affordable and low-maintenance but may lack the aesthetic appeal of other materials.

How does the size of a garage door affect its price?

The size of a garage door significantly affects its price because larger doors require more materials and labor to install. Standard single-car garage doors (typically 8-10 feet wide) are less expensive than double-car or custom-sized doors (which can range from 12-20 feet wide). Custom sizes may also incur additional costs due to special manufacturing requirements.

In what ways do insulation options influence garage door pricing?

Insulated garage doors generally cost more than non-insulated ones due to the added materials and complexity in construction. Insulation provides energy efficiency by maintaining temperature control, which is especially beneficial in climates with extreme temperatures or for attached garages that share walls with living spaces.

Overhead Door Company of Joliet

Phone : +18157256077

City : Joliet

State : IL

Zip : 60436

Address : Unknown Address

Google Business Profile

Company Website : <https://overheaddoorjoliet.com/garage-door-repair-romeoville.aspx>

Sitemap

Privacy Policy

About Us